

Nicotine-Free Policies – Webinar References

- Brown, S., Inskip, H., Barraclough, B. (2000). Causes of the excess mortality in schizophrenia. *British Journal of Psychiatry*, 177, 212-217.
- Centers for Disease Control and Prevention [CDC] (2013). Vital Signs: Current cigarette smoking among adults aged ≥ 18 years with mental illness — United States, 2009-2011. *Morbidity and Mortality Weekly Report*, 62(5), 81-87.
- Colton, C. W., Manderscheid, R. W. (2006). Congruencies in increased mortality rates, years of potential life lost, and causes of death among public mental health clients in eight states. *Preventing Chronic Disease Public Health Research, Practice, and Policy*, 3(2), 1-14.
- Desai, H. D., Seabolt, J., Jann, M. W. (2001). Smoking in patients receiving psychotropic medications: A pharmacokinetic perspective. *CNS Drugs*, 15(6), 489-494.
- Dilley, J. A., Harris, J. R., Boysun, M. J., & Reid, T. R. (2012). Program, policy, and price interventions for tobacco control: quantifying the return on investment of a state tobacco control program. *American journal of public health*, 102(2), e22–e28.
<https://doi.org/10.2105/AJPH.2011.300506>
- Fiore, M. C., Jaén, C. R., Baker, T. B., et al. (2008). *Treating tobacco use and dependence: 2008 update. Clinical Practice Guideline*. Rockville, MD: U.S. Department of Health and Human Services. Public Health Service.
- Gates, L. B., & Akabas, S. H. (2007). Developing strategies to integrate peer providers into the staff of mental health agencies. *Administration and policy in mental health*, 34(3), 293–306.
<https://doi.org/10.1007/s10488-006-0109-4>
- Grant, B. F., Hasin, D. S., Chou, S. P., et al. (2004). Nicotine dependence and psychiatric disorders in the United States: Results from the national epidemiologic survey on alcohol and related conditions. *Archives of General Psychiatry*, 61(11), 1107-1115.
- Jamal, A., Phillips, E., Gentzke, A. S., et al. (2018). Current cigarette smoking among adults – United States, 2016. *Morbidity and Mortality Weekly Report*, 67(2), 53-59.

- Knudsen, H. K., Studts, J. L., Boyd, S., et al. (2010). Structural and cultural barriers to the adoption of smoking cessation services in addiction treatment. *Journal of Addictive Diseases*, 29(3), 294-305.
- Lasser, K., Boyd, J. W., Woolhandler, S., et al. (2000). Smoking and mental illness: A population-based prevalence study. *Journal of the American Medical Association*, 284(20), 2606-2610.
- Morris, C. D., Waxmonsky, J. A., May, M. G., et al. (2009). What do persons with mental illnesses need to quit smoking? Mental health consumer and provider perspectives. *Psychiatric Rehabilitation Journal*, 32(4), 276-284.
- Morris C. D., Waxmonsky J. A., May M. G., et al. (2011). Smoking reduction for persons with mental illnesses: 6-month results from community-based interventions. *Community Mental Health Journal*, 47(6), 694-702.
- Nonnemaker, J., MacMonegle, A. J., Mann, N., Woodlea, R., Duke, J., & Porter, L. (2021). Estimating the return on investment of the Bureau of Tobacco Free Florida tobacco control programme from 1999 to 2015. *BMJ open*, 11(1), e040012. <https://doi.org/10.1136/bmjopen-2020-040012>
- Nonnemaker, J., Mann, N., MacMonegle, A. J., Gaber, J., & Fajobi, O. (2024). Estimating the return on investment of the New York Tobacco Control Programme: a synthetic control study. *BMJ open*, 14(4), e080525. <https://doi.org/10.1136/bmjopen-2023-080525>
- Oquendo, M. A., Galfalvy, H., Russo, S., et al. (2004). Prospective study of clinical predictors of suicidal acts after a major depressive episode in patients with major depressive disorder or bipolar disorder. *American Journal of Psychiatry*, 161(8), 1433-1441.
- Prochaska, J. J., Delucchi, K., Hall, S. M. (2004a). A meta-analysis of smoking cessation interventions with individuals in substance abuse treatment or recovery. *Journal of Consulting and Clinical Psychology*, 72(6), 1144-1156.
- Prochaska, J. J., Gill, P., Hall, S. M. (2004b). Treatment of tobacco use in an inpatient psychiatric setting. *Psychiatric Services*, 55(11), 1265-1270.
- Prochaska, J. J., Hall, S. E., Delucchi, K., et al. (2014). Efficacy of initiating tobacco dependence treatment in inpatient psychiatry: A randomized controlled trial. *American Journal of Public Health*, 104(8), 1557-1565.

Prochaska, J. J., Reyes, R. S., Schroeder, S. A., et al. (2011). An online survey of tobacco use, intentions to quit, and cessation strategies among people living with bipolar disorder. *Bipolar Disorders*, 13(5-6), 466-473.

Strouse, R., Hall, J., & Kovac, M. (2004). Survey of Health Professionals' Knowledge, Attitudes, Beliefs, and Behavior Regarding Smoking Cessation Assistance and Counseling. Princeton, NJ: Mathematica Policy Research.

Williams, J. M., Ziedonis, D. (2004). Addressing tobacco among individuals with a mental illness or an addiction. *Addictive Behaviors*, 29, 1067-1083.